

I.A.

South E	Feature	bone	L R element	no.	frag ment
---------	---------	------	-------------	-----	-----------

04 59 B

"	t	I ¹	t		
---	---	----------------	---	--	--

"	78 B	t	R M ³	t	
---	------	---	------------------	---	--

"	78 D	sk	L nas/pe max	t	
---	------	----	--------------	---	--

"	78 D	mc	R pts	t	
---	------	----	-------	---	--

"	78 E	sk	R prof	t	
---	------	----	--------	---	--

"	78 F	sk	L R pat	t	
---	------	----	---------	---	--

"	78 G	mt	S L	t	
---	------	----	-----	---	--

"	78 I	d		t	
---	------	---	--	---	--

get Ticker & Robinson
 height 47mm. Detrac.
 piece 11 x 5 cm. fully fused - line of sutures not visible.
 Bp 44.9, SD 31.4
 ? same ind.
 3 plus eleven other pieces, look like same beast, but not proof,
 old breaks not new. ? discount completely.
 no β, but broken.
 check with D.A. likelihood of one individual here, or scattered odd bones.
 (unfortunately rest not here, the break median) quite long.
 Bd 42.5 SD 26.8

05 10 B

06	10	ti	psd L	t	
----	----	----	-------	---	--

"	"	tooth		t	
---	---	-------	--	---	--

841 = 0610	pe	vil, pub.	R	t	
------------	----	-----------	---	---	--

848 = "	3rd phal			t	
---------	----------	--	--	---	--

855 = "	sc		L	t	
---------	----	--	---	---	--

855	mc	psd L		t	
-----	----	-------	--	---	--

0615	t	P/M ^x	L	t	
------	---	------------------	---	---	--

"	"	1st phal		t	
---	---	----------	--	---	--

"	"	rib		t	
---	---	-----	--	---	--

Presumed I.A. East	04	68	sc	L	t
--------------------	----	----	----	---	---

- Bd 63.7 SD 34.5 (medial 305 estimated GL 326
 LA 53
 not truly. small horse. don't suspect donkey.
 GLP 84 LQ 51 SLC 57.0
 (no mc II or III)
 - GL 201 Bp 43.7 SD 30.7 Bd 44.8 Lat. L. (Kiszewalter) 193. ht estimate
 GL 54.7
 193 x 6.41 = 1.237 metres.
 = 12 hands
 looks like horse - squarish section.
 nearly whole GLP 96 SLC 66

I.A. East South

09	45	t	R	t	
----	----	---	---	---	--



14	15	mt	ps R	t	
----	----	----	------	---	--

15	48	phl	d	t	
----	----	-----	---	---	--

check t. old. L 34.5 (M₁ or 2
 Bp 45.1. 2 k marks. (could be from skinning)
 No butchery marks except.

Bie 27

	Feature	Species	bone	elem	ment	L	R	P	M	frag- ment	
I.A. East	05 11	deer	antler							1	probably Red.
	05 06	humans	sk							1	put in quares. 4.2-4.9 mm thick
	05 09	frog	? tibia	S						b	
	05 10A	Plesiosaur	verte							1	vertebral centrum encrusted with marine worm Serpula
	850 (= 06 09)	human	tibia	P			R			o	- Wild Royston B.C. Museum. July 1979.
	" 10B	shell									similar size & quality of bone to baby from 15 38. foetal or newborn
	843 = 06 10	frog	? tibia							t	
	819	hare	mc psd	L						t	
835	deer	antler								1	
835	"	"								1	sawn roughly across, then broken. probably Red. fragment, 3 incised lines on.
	06 15	hare	hu	scd	L					t	Bd 13.0
Presumed I.A.	06 21C	"	mp	psd						t	
	04 84	roe deer	sc		L					t	slc 16.7. check identification. Yes, roe.
I.A. South	09 45	red deer	antler								beam for brow tine & bez tine sawn off; from a 10 or 12 point stag. (sawn through above the butt) space left by saw 2.2mm Sawn obliquely, above bez tine.
	14 15	cat	mand		L					t	alveolus for last cheek tooth. < illustration of wild cat in Lawrence & Brown 1967, sim, a little < than my cat. Probably domestic.
Presumed I.A.	15 38	Baby	skeleton								



1.A

BIRD

	Feature	Species	ele bone ment L R	mni frag	
	05 10A	fowl	fe p L	t	QL 78.2
	05 10B	Anser anser	cmc psd	t	Size of <i>A. albifrons</i> sim. but likely to be <i>A.a.</i>
	06 10	fowl	fe psd R	t	QL 69.2 shorter than wild 1868.2.19.59.
Raven	339 = 06 10	Corvus corax fowl	fe psd R	t	sim duck but → < eggc owl, > barn or shorteared or Tawny; closest
Raven	" " "	Corvus corax	hu s	l	
	842 = " "	fowl	cor psd R	t	
Raven	543 = " "	Corvus corax	fe psd L	t	
	" "	fowl	ti ps	t	
	" "		ti s		in 2 bits ?
	860 " "	duck	hu sd L	t	↓ ↓ ↓ 1868.2.19.80 C. Darwin
	" "	duck	ra psd L	t	QL 69.0 sim Anas plat. ♂ 1898.12.12.1, shorter than C Darwin 1865.2.19.94
	" "	duck	cmc p L	t	" " "
	858 " "	duck	ul p	t	" " "
	05 35	Anser anser	skull	t	other goose?
	F04 84		tib. s	l	?
		bird	cmcp sd	o	?
	04 78E	duck	cmcp psd	t	→ barn owl. QL 57.8

Add to small unid - 4. (3 bird, one other).

Duck within range of wild Mallard, which is not to say that they are not ^{kept in} ~~in~~ captivity. of course leaves the question open as to whether they were hunted/trapped or kept in captivity.

15 25 fowl ul sd L t

15 25 fowl ti d R o 6 chop marks on distal condyles, mainly on the posteriorly.

Bie 30

Bones from features with mixed pottery.

p proximal
s shaft
d distal

		bone zone	L R	mi. fr.	
03	30	fowl	hu	psd	t
	18	fowl	hu	psd	o
	30	fowl	ti	d	t
	50	fowl	cmc	sd	o
	51	fowl	ul	d	o
	30	fowl	ra	d	t
	30	fowl	cmc	psd	♂ t large
Goose	37	Anser anser	cmc	psd	t GL
	30	Anser anser	fe	psd	t eroded.
	37	Anser anser	ph.	psd	t Digit II Phal. 1.
Duck	51	Anas platyr.	ul	psd	t GL
Crow/rook	51	Corvus cor/frug	hu	d	o immature.
	30	fowl	cmc	psd	t GL
	12	fowl	fe	psd	o
Rock dove	51	Columba livia	hu		t of livia Cooknos, < Shetland one. Wood py is much > Turtle dove <
Rock or	51	Col. livia/oenas	hu		b somewhat immature
Stock dove	12	Col. livia/oenas	hu		t of Shetland livia & headenall oenas
	12	Col. livia/oenas	hu		o hu The 3 C. oenas at Tring all same size of Shetland livia.
	12	Col. livia(oenas)	fe		t probably livia. fe oenas are rather < than several livia
	30	Col. livia/oenas	ul		t

< oenas
of livia Cooknos, < Shetland one. Wood py is much > Turtle dove <
somewhat immature
of Shetland livia & headenall oenas
hu The 3 C. oenas at Tring all same size of Shetland livia.
probably livia. fe oenas are rather < than several livia

04	22	fowl	cmc	psd L	t GL 40.0
	30	fowl	ul	psd R	t GL 76.3
	07	fowl	tmt	sd L	t burnt grey
	12	Anser anser	cmc	p L	t
	62	Columba livia/oenas	fe	psd R	t
	62	Col. livia/oenas	tmt	psd R	t
crow/rook	44	Corvus corone/frug.	ul	psd L	t

Otis leucotis

B1E 31a
31b

02	49	fowl	ul psd L	t	QL 61.1
	06	fowl	ul psd L	t	QL 67.3
	54	fowl	ul ps L	t	-
	43	Columba livia	hu psd R	t	ident. as above - < Oenas
	61	C. livia / oenas	ul psd L	t	path - periosteal growth of bone over a considerable area.
	61	ditto	ra psd L	t	path - ditto
	61	ditto	cnc psd R	t	-
	61	ditto	trnt psd R	t	-
	43	C. livia or palumbus	ti psd ?R	t	longer than ^{the} 3 Tring oenas ti
Wood pigeon	? 3	C. livia / oenas	oc ps L	t	

05	04	fowl	cor psd L	t	
	04	fowl	sc ps L	t	
	04	fowl	ul sd L	t	
	04	fowl	ul psd L	t	QL 62.8
	04	fowl	sc ps R	t	
	04	fowl	ul psd L	t	QL 74.7
	04	fowl	ra psd L	t	
	04	fowl	ti p L	t	
	04	Anser anser	cnc psd R	t	QL 90.1
	04	Anser anser	ph psd	t	1st phal, Digit 2.
	05	Anser anser	ph psd	t	" " "
	over.				Bre 3 a 3 b

05	04	Columba livia /oenas	hu psd R	o	
04		C. species	fe psd R	o	
04		C. livia /oenas	ul psd L	o	not far from adult bone. }
04		C. ditto	ul psd R	o	
04		C. ditto	ra psd R	o	ditto. look a part. }
04		C. ditto	ra psd R	o	? slightly imm.
04		C. ditto	ra psd L	t	

09	17	fowl	tmt psd	t	GL
08		"	cor sd	t	
38		"	skull	t	back of.
04		"	sc ps	t	
18		"	ul psd	t	GL
03		"	ul p	t	
23		"	fe p kR	t	
16		"	ti p	t	
38		Anser anser	cmc psd	t	GL
18		" "	fe p R	t	
38		" "	ph psd	t	1st phal of digit 2.

08	03	Anser anser	fe p R	t	
05		fowl	fe p R	t	
03		fowl	tmt psd L	t	with spur 17mm
05		fowl	ti p L	t	
04		fowl	ul d	t	

Bie 32a
32b

14 08 fowl ul psd R t qL

399 fowl ra psd t qL

Duck 15 01 Anas platyrhynchos fowl ul psd L t qL larger than one, similar another wild.

03 fowl ul psd t

03 " fe ps L t

03 " fe p L t

03 " tmt p L t

16 " tmt d L t

Rook/crow 08 { Corvus corone or } hu sd L t

" " 03 { frugilegus } cmc psd R t (qL 49.4). most like crow, but one ^{only} of Tring rooks as large.

fowl 42

goose 11

duck 2 Anas plat.

cd.	livia	1 + 1	-	2
	oenas			
	livi / oenas	4 + 2 + 5 + 5	-	16
	livi (oenas)	1	-	1
	livi or palumbus	1	-	1
cn.	sp.	1		<u>1</u>
				21

Bre 32 a
32 b

04 04 05 06 06
 59A 59B 59C D E 78A 78B C D E F G L 60A B C D 71 72 73 36 66 10 10 18 08 837 838 839

Cattle size Vert

Rib

Unid

ch 1
 1 3, bit 1
 2 6 6 3 2 3 3 7 2 4 2 2 3 3 2 9 5 4 1 1 3 9 (8 3) 2 3 2

SHEEP SIZE Vert

Rib

Unid

bit 5, 5 bit 1
 2 10 3 6 4 18 2 11 9 5 1 6 2 12 1 16 4 12 2 26 2 6 (3+4 8) 3 2 5

SMALLER Vert

Rib

Unid

bit 5, ch 1
 bit 1, bit 3, 4
 1
 1 of dog

Notes

b or bnt burnt a gd no. cattle size might be pig.
 i 'ivory' texture

- 04 59C 16 cm long, has pat of articulation
- 04 78A 1 sheep size 'ivory' texture.
- " 78E 1 " " rib perhaps some path. alteration. Rest burnt white (6), black (1).
- 04 72 1 just 3 large unid + 1 query - pig/sheep prox fem epiph.
- 10A cattle ribs in larger pieces than THD or Cambridge 13 Roman.
- 10C 1 medium ribs. Knife marks rather than chopper marks as far as I can tell.
- " 1 sternal rib, and 1 med sized sternal vertebrae
- " 2 unid not scrutinized carefully for marks.
- 837 1 2 cattle ribs - 1 23 cm long, broken by arte., ? Sawon for end. - very straight for a chop mark.
 1 20 cm " , in 2 pieces, old break d? chipped at. could possibly be excavation damage.

