

f.	LR	I	2	3	4	m1	2	3	M1	2	3	P2,3	pd.	chrt. row. L.	Stage	Uv.		
11 th K25 F19 2685	R	\	\	(\)	(\)	a	—	□	□	□	□	□	□	□	[no sep.	E-29		
"	R	\	\	\	\	\	□	□	□	□	□	□	□	□	[no	G-42		
"	R	\	\	\	\	\	□	□	□	□	□	□	□	□	[no	E-28		
11/12 F23 2695	L	\	\	\	\	\	□	□	□	□	□	□	□	□	✓ no 63½	F-38		
"	R	\	\	\	\	\	□	□	□	□	□	□	□	□	✓ no 66	G-38		
"	L	\	\	\	\	\	□	□	□	□	□	□	□	□				
"	R	\	\	\	\	\	□	□	□	□	□	□	□	□	same as ling. P4/M1			
11 th F35 2550	R	(\)	(\)	(\)	(\)	\	□	□	□	□	□	□	□	□	D-19½	m3 v. worn for P2.		
11 th K26 F9 2598		\	\	\	\	\	□	□	□	□	□	□	□	□	E fairly sure. certainly not half up yet.	D-26		
11 th F43 2335		\	\	\	\	\	□	□	□	□	□	□	□	□	✓ no 60 sep	H-45		
11 th L20 1308		\	\	\	\	\	□	□	□	□	□	□	□	□	no sep	D-19½		
"		\	\	\	\	\	□	□	□	□	□	□	□	□	that. not quite sure about P2	G-40		
10/11 th L20 1403	R	\	\	\	\	\	□	□	□	□	□	□	□	□	✓ yes 67 sep	G-40		
"		\	\	\	\	\	□	□	□	□	□	□	□	□	jaw swollen both sides, esp. buccally. Teeth were probably present (lost p.m.), but the alveolar region is wide & suggest that the teeth may have been loose in their sockets.			
10/11 L20 F40 1401	R	\	\	\	\	\	□	□	□	□	□	□	□	□	[no	F/G-37		
11/12 L20 F13 1395	L	\	\	\	\	\	□	□	□	□	□	□	□	□				
11/12 L21 1168		\	\	\	\	\	□	□	□	□	□	□	□	□				
11/12 L21 1152	L	\	\	\	\	\	□	□	□	□	□	□	□	□	D-19½			
11 th L21 F34 1097	R	(\)	(\)	(\)	(\)	\	□	□	□	□	□	□	□	□	no sep	B-3		
11 th F78 1190		\	\	\	\	\	□	□	□	□	□	□	□	□	Five jaws, none a pair. [capture-recapture]			
L22	R	\	\	\	\	\	□	□	□	□	□	□	□	□	✓ no	F/G		
"	R	\	\	\	\	\	□	□	□	□	□	□	□	□	lost 1st unit worn below the crown enamel, onto the root. 2nd unit has some enamel left.	sep I-49		
"	R	\	\	\	\	\	□	□	□	□	□	□	□	□	really - an old jaw, virtually normal (but rugged) P4/M1, slight reduction of bone lingually at B M2/3 border.	sep.		
"	R	\	\	\	\	\	□	□	□	□	□	□	□	□	no sep	D-23		
"	L	\	\	\	\	\	□	□	□	□	□	□	□	□	✓ no 72½	F-38		
"	L	\	\	\	\	\	□	□	□	□	□	□	□	□		F-34		

f.	LR	I	2	3	4	$\frac{m1}{p2}$ $\frac{(2)(3)}{3 4}$	M1	2	3	$P2 P3$ pd $\frac{ch}{t row}$	Stage Nr.	i $\frac{(m1,2)}{I P2,3}$ $\frac{(m3)}{P4}$ L R	M1 $\frac{M1}{M2}$	$\frac{M3}{L R}$
11 th h23 2166 L											9/4			
" 2396											9/4			
" 2664										[no	Ge 4le			
10-11 th h24 2664														
all 2 lines next enough phase F3														
11-12 th L24 2129 R											Ino D 25 ⁺ no attrition distal unit of M2. Enough alveolar bone there to say M3 1/2 P4 row, uncrusted.			
" 2109 R											F 34e			
" L											F 34e			
" L											F 38e			
10-11 th 2103 R											✓ no 74 sep. E 30			
" R														
" L											F -			
" L											E -			
11 th														
11 th L25 F1 2145 L											[no E/F 30e			
" L														
11 th L25 F8 2122											✓ no - - (F/G 40e			
"											✓ no 2-Bone's stages.			
"											yes - Bone looks old and bumpy. Swollen buccally P4/M1.			
"											✓ no			
11 th L25 F8 2123 L											✓ no sep. G 40			
" R											G/H			
11 th L25 F136 3063 L											G/H			
11 th L25 F7 2106 R											2 yet sep G/H			
											bone very swollen buccally P3/P4/M1/M2, as far as first unit of M3. (broken, lying badly).			
											8 + 2 yes			

T189

f.	LR	I	P	M	P ₂ P ₃ pd	Stage Niv.	i	n	m ³ P ₄	m ¹ 2	m ³ P ₄	m ¹ 2	m ³ P ₄
11 th L26 F87 267	L												
" " 273													
11 th L26 F86 276	L	\ \ \ \ \	a	-	no	-	sep	E/F	34e				
		definite.											
10-11 th L26 F75 260	L	\ \ \ \ \	(V) (V) (V) (V) (V) E	?	no	sep							
		def.											
10-11 th L26 F45 254	R												
" R													
" L													
11 th M17 F143 576	L	\ \ \ \ \											
11 th F19 F20 407	L												
11 th F19 F29 453	L												
" R													
" 450													
" 464													
" 464 L													
As see strgt jaw p4 Phase III													
11 th M19 F110 550	R												
11 th F77 486	R												
11 th F19 F22 449	R												
11-12 M20 F111 908	L												
" L													
" R													
" 90+													
" rest													
" R													
" R													
" 1/2													
" L													
4 ± 0 T190 4 ± 0 RI, about w^{1/2}, tho' cingulum ← w^{1/2} is missing (broken here). Wear is very much at 90° to tooth. Also a lot of wear on mesial edge. Roots flat → <u>sheep</u> (Payne) sep. LI, I think, w to cingulum, <u>sh</u> ("") w to sep													

	f.	LR	I	P	M	P ₂ P ₃ pd ^{ch} L.	St. Niv.		
11 th	M20 F54 794	R							
"	F116 882								
11 th	M21 F99 1030								
10-11 th	M21 F135 997	L	I ₁ I ₂ I ₃ (✓) (✓) (✓) not sure if erupted - probably not.				✓ no 66½ sep E 33		
10-11 th	M21 F129 1016	L					✓ no - - E 31	Sto black shiny calculus. But all have a thin brown layer over them.	
11 th	M22 F14 1064	L					D 21e		
11-12 th	M22 F86 1188	L	I ₁ E	(✓) (✓) (✓) (✓) (✓) (✓) or sh			✓ no - sep D 21 (visible at corner of md. bkn)		
10-11 th	M26 F103 2737	R		(✓) (✓) (✓) (✓) (✓) (✓) or sh			no - sep D 22		
10-11 th	M26 F103 2737	R		(✓) (✓) (✓) (✓) (✓) (✓) or sh			no - sep D 25		
10-11 th	M26 F103 2711	L		a < (✓) (✓) (✓) (✓) (✓) (✓) or sh			✓ no 72 sep F 34		
11-12 th	M17 F27 514	R	I ₁ E	(✓) (✓) (✓) (✓) (✓) (✓) sure			✓ no 72 sep E 33		
"	509	L						Bone v. porous - age.	
11 th	N18 F15 416	R		(✓) (✓) (✓) (✓) (✓) (✓) sure			✓ no - - 9/4 4e		
"	418	R					no		
11 th	N18 F15 391	R	I ₁ E	(✓) (✓) (✓) (✓) (✓) (✓) sure			✓ no sep E/F 34e		
11 th	N18 F15 391	R	I ₁ E	(✓) (✓) (✓) (✓) (✓) (✓) sure			no sep - -		
11 th	N18 F15 391	L					✓ no 69 sep F 36	Doesn't look like a pair with R. one. More worn, different shape. NA completely certain though.	

[illegible]

	f	L R I . P - M PM pa ^{ch} r L St Nr	I P L ^P R T1 2 M3 L R
e11 th	D22 F32 599	R \ / \ / w → □ looks like fuel mouth.	
	P21 50		□
	P20 8		□

Transferred from IV

[illegible]

N18 F11A 414 L

N18 FINALLY R \ \ E \

N18 F1A 387 R $\therefore \equiv \checkmark$ no - - E ch on condyle.

peristodial

p7	7 + 0
8 not	p1 p2 9 + 1
p2 present	13 + 2 ^{some} yo
6 ^{abs} -1	8 + 2
7 1	4 + 0
10 1	12 + 0
9	4 + 1 slight
4	57 6
7	
2 1	
45 B4	

with permanent premolars.

[Aug 22 - this counts peristodial disease]