

Prestatyn. MA 94

Calthe Lower Jaws & Teeth. p.1

Loose Teeth. left side only

(i) I, (m₁) ~~P₄~~, (m₂) P₄, M1 or 2, M3 R

Ph. feature
II (92) not done in detail

LR, I

P

M

P₂P₃p.d.

St. N.v.

127

R

g

✓ -

5A

MN 1

131

1

g
probable part
to
well on.

160

L

\ \ g \

-

MN 2

164

R

f f

✓ -

-

MN 1

168

R

\ e \ l \

odd-
no sign,
but incomp.

-

"

R

then then \

-

"

R

f m l

loose but looks right
l

5B

"

R

(-) c

2

MN 6 (5 P₂P₃'s, + Stage 2)

3 of 8 P₂'s reduced posterior cusp.
only one in a jaw.

171

R

\ g m l k - ✓ no
a part of its probable maxilla.
a ... of prob. L md.

5B

MN 3

172

R

(u) (g) (g) b

2

177

L

l

5B

MN 6 (P₂'s + dp₄ u)

young calf

Some v. old, eg P₂ v. worn (still 2 cm crown left,
tho, when measured )

184

L

\ k k g

- ✓ no

5A

MN 1

185

R

\ g g ~~4~~ l \

✓ no

5B not

? not pair

L

\ l l g

-

5A

reduced 3rd unit

MN 3

(rather careless excⁿ, many missing teeth)

192

L

\ f f l \

5A not

} prob. pair.

R

w f f

MN 1

P₂ (loose) reduced posterior cusp, with steep wear from distal cusp of P₃.

P₃

4 normal on jaw 1 2 3 4 5 5A 5B

(4 loose, reduced.) 2 2 3 3 10

in one layer 3, of 8.

P₂

6 present

P-29

MN 25

			P ₂ D ₃ pd.	St. N.v.	MN
II 194	L	a f f \ k g	✓✓	5A	1
196					1
205					1
206	R	\ \ \ \ \ m \	✓✓ absent D ₃ full wr.	5B	2
210					1
211	R	k k j	✓	5B	2 plus calf tib.
220					1 M ₃ reduced post cusp.

258	L	abs c b \			1
269	R	\ \ \ \ j \	✓✓	5A not	
	R	\ \ m l k	✓	5B	

an annoying collection of loose + d and fgs, not kept together on exc. Deduced:

"	R	(j)		?	
"	R	k	✓	5B	
"	R	l	✓	5B	MN #67
"	R	(u)			- certainly are now low crowned 14½, 16½, c13 O dp4 U

284	R	\ f \ \	✓	-	
288	R	l	reduced	5B	
287	L	\ \ H bkn \	✓ - no	-	

	L	(i) (j) d v		c	3
(↑ 269)	L	\ g c	✓	E	(↑)

R3 308	R	k	✓	5B	1
crown ht 16, well worn. Also a R loose +, exact match, both with rather odd post cusp - distal corner higher than rest. (both in fact loose +, but count one)					

" 335	R	j	red- wood post cusp.	5B	1
-------	---	---	----------------------------	----	---

" 340	L	\ e \ k			1
-------	---	---------	--	--	---


401	R	a f g k j in ad.		5A not	
-----	---	------------------	--	--------	--

1 other
6 p

2 reduced.
9 normal

P-30

1 1 1 III I III 14
A B C D E 5 5A 5B



MA 84/85

Cattle Mdo TIN

Ph II Page 3

II

		I	P	M	P ₂ P ₃ pd	St Nv	MN
467	L			l k	✓	5B	1
typical - crown ht 13, measured on the anterior buccal cusp, from the CEJ to the occlusal surface.							
511	R		abs - -	m k -		5B _{est}	1
606	L		f f -	? - g	✓	5A	1
739	L		w f g	bkn		-	
793	R			l	✓	5B	
	L		abs - -	l -		5B _{est}	2 (1)
1255 R4	R		(-) E (-)	k - b	✓	4 ^E	2
thru belong.							
1264	L			l	✓	5B	1
ht 13.1							
1266	L			- bkn j -		5A _{est}	
	R			f k		-	
	L				alw. shallow	5B	2
1297	L			l	✓	5B	
ht 16							
1182	L			g j) b		2	
	L		(w) (w) (k)	g H		2	
	L			l k k	✓	5B	
1164				m l	✓	5B	
1173	L		abs - g m			5	
no sign							
1195			ab - -	bkn -		-	
1833	R		(w) (w) (f)	E		1	5
	R	- - -	abs - -	k j		-	
	L	- - ?	- -	h n m l	✓	5B	
CEJ above alw. border.							

cont.

2 pers.
4 abs.

P-31

9n
0 reduced

note crown ht.

1	2	3	4	5	5A	5B	
1	2		1-4	1	8	17	✓

MA 84/85

Cattle Mds.

II Page 4.

II

1833 ct. L

\ f g m k h
CEJ
above.. not

St. No.

5B

L

\ f f k k bkn

5Aest.

R

g

5A

The 10's p1-5B, B, B, A, B, A, B, A
p2-5B, B, A, B, A, B, A
p3-5B, B, A, B, A, B, A
p4-5B, B, A, B, A, B, A
A-5
B-5
5 5A 5B
1 1 1 3✓

	1	2	3	4	5	5A	5B	p2 abs	p3 reduced
page 1	A	2			2	3	3	10	0 -
2	1	1		1	3	1	7	14	6 1
note on crown ht	3	1	2	1	4	1	8	17	2 4
					1	1	1	3	16 5
A	1	2	3	4	5	5A	5B		✓
Total	1	1	5	-	2	10	6	19	44✓
						35	5		
						55	5		
						6	25	19	

R R
p1 upper & lower & prob L mid top.
Most mls were not found related to max or other side but

crown ht of 5B's, CEJ above.
note it might be a better dividing point

	(269)	(340)	(793)	(1258)	(1264)	(1284)	1833
hcs Loc	55 sep	-	-	-	-	hc piece, meas larger than most of rest.	140 133
bas circ	c 87	142	c 101	129	127	56 1/2	53 } really a hard mea. to take.
max b.d.	c 30	56	33 1/2	46	48 1/2	-	47
min.	24	36	28 1/2	31	28	-	36 1/2 > 37
in dex							
I Age	3	3					
II L	sm	sh	sm	sm/sh	sm/sh		
III cre/tors.	cre/straight	cre			cre	say none shows torsion	
IV tip	rou	-			-		
V sex	? F	? F			?		
dir. hr.	out	out/jud			fr		
path.	-				-		
β	-				-		
hu BT	(269) 64	(333) 59	(564) -	(716) -	(1193) 61.4		
HTC	27.0	26.6	32.4	28.5	26.2		
ra Bp	(1266) 67.9	-	GL est 238, SD 34.0	(1283) 68.7	(1833) 69		
Bfp	62.2	64.8	-	-	62.4	62.2	

pe sex	(269)	(340) fixed Bd 76.3	(540)	(712)	(1266)
fe foram	within	1	1	1	1
out with stat					
on edge					
bcb Bd	(269) 57.2	(793) 50.7	(1266) 53.7	(1297) 50.4	(1648) 57.2

	(287)	(340)	(352)	(401)	(711)	(793)	(797)	(1266)		(1833)		N R	X	SD
asl GL	56.7	59.9	59.4	63.0	59.1	55.7	57.4	60.6	57.9	58.3	58.6	GL 52.0 - 66.3	57.79	3.059
DL from	302	32.6	33.2	35.9	-	31.9	32	34.1	32 1/2	31.3	33.4	DL 28.7 - 36.5	32.20	1.693
Bd	37	36.3	39.6	40.7	36.0	37.8	37.2	40.8	36 1/2	35.7	39.2	Bd 26 33.4 - 45.9	36.80	2.789
	64.0	70.9	78.1	91.8		67.2	68.3	84.3	68.7	65.1	76.7	GL x Bd 25 51.0 - 111.1	69.07	12.589 cm ³
mc GL	(269) 165	(340)	(401)	(712)	(1266)	(1833)	174		list			could type mt 2, to Rt. under e.o.		
Bp	49.7			53			-		find 712					
SD	27.4			28.5			26.3		explain 711					
Bd	52.8	49.3	54.3	57.5	56.0	49.3			hist. Bd			Bd 20 45.0 - 60.7	53.44	4.493
MT	24	24.3	24.0	24 1/2	25.9	24 1/2	24.4	24.7	MT			MT 19 21.5 - 28.9	25.44	2.025
LIT		23.9	24.4	-	-	-	-	-	Dim					
mt GL	(316)	(716)	(1264)	(1266)	(1297)	(1833)	191	187 1/2	mt 5 1/2					
Bp				44.4			44.1	47.2						
SD				24.6			23.0							
all Bfd - Bd	53.2	47.0	49.6	52.1	48.0	55.2	27.4	23.5	55.2 ← largest re. measure			Bd 13 44.5 - 55.2	49.75	3.087
MT	25.1	24.5	25.4	24.1	23 1/2	27.4	23.5	25.2	← smallest			Dim 12 23.5 - 27.4	25.00	1.035
LIT	26.2	25.5	25 1/2	25.6	25.2				M > L					
med condyle														

	169	185	195
hcs loc	90 classic	118	87 sep-very
bas circ	122 short one.	103	108 typical of the
max b.d.	47	38	38 ones
min b.d.	30.2	24 1/2	28 found.
index			- shorter than ASL
I Age	3 small short	3	short med.
II Length	cve	cve	cve
III curve	rou	poi	poi
IV tip	? M	? F	?
V sex direction of horn	out & in	ford	ford
pathol.	-	-	-
Butchery	-	ohu	-

	139	168	171	269	284
hu BT	-	-	-	68.4	-
HTC construction	28.6	30	28.6	28.9	28.0

	148	168	187	195
ra Bp at SD groove	66.2	-	-	-
pe AMRDI	2	-	-	-

	F	F	F, F(?)	M
sex	F	F	F, F(?)	M

	168	187	269	284
fib Bd	34.3	67.3, lge.	54.8	-

	130	160	168	171	172	177	185	191	207	269	287
mc GL	-	-	192	-	-	-	-	-	-	-	-

	168	187	195
Bp	59.1	-	-
SD	33.2	-	-

	168	187	195
diaph Bd	59.6	57.4	-
Bd	28.9	26.7 ? med.	24.9

	145	168	171	172	187	269	287
mt GL	210	208	210	196	196	196	196

	145	168	171	172	187	269	287
Bp	43.2	46.1	52	41.0	41.0	41.0	41.0
SD	23.9	25.2	22.3	22.3	22.3	22.3	22.3

	145	168	171	172	187	269	287
(diaph Bd)	49.0	51.3	c.51	46.8	46.7	44.5	52.3
Bd	24.2	-	25.6	24.8	24.8	24.5	26.1

	131	134	168	171	177	205	269	284
adr. GL	55.7	52.0	55.6	59	56.6	55.6	54.3	60 1/2

	131	134	168	171	177	205	269	284
DL	31.1	30.0	32.5	32	32.0	31.1	30.6	31.0
Bd	34.0	33.4	35.2	36	33.9	36.4	37.3	34.5

	131	134	168	171	177	205	269	284
58.9 cm ³	52.1	63.6	65.7	64	64	63.46	58.1	73.4

	168	177	191	192	265	269
femur foramen within fossa	1	1	1	1	1	1
outwith	1	1	1	1	1	1

	168	177	191	192	265	269
astr. GL	52.0	52.0	52.0	52.0	52.0	52.0

	168	177	191	192	265	269
plus 3 x → histogram	52.0	52.0	52.0	52.0	52.0	52.0

	168	177	191	192	265	269
55 x 31 x 24 =	52.0	52.0	52.0	52.0	52.0	52.0

	168	177	191	192	265	269
55 x 30 x 20 =	52.0	52.0	52.0	52.0	52.0	52.0

	N	R	Mean	SD
loc lift	55, 87, 90, 118.			
	10	87-142	119.2	18.45
	11	30-56	44.9	8.91
	10	24-37	30.3	4.61

small any/sh sh
3 2 3
cve 5 cve/sk 1 more show torsion.
tending to cve forward or f / downward

hu
BT 59, 61.4, 64, 68.4
HTC 10 26.2-32.4 28.5 1.80

ya no 52
pp 66.2, 67.7, 68.7, 69.
pe M 2 F 4

fe within fossa 6 outside 6
t. Bd 8 50.4-67.3 55.7

see page 2

re-measured Sep 87.

not v. imm.

great size difference.

prize import 111.1 r

doesn't look imm. 57.0 69.3

astr. GL 52.0-66.3 see p.2

plus 3 x → histogram

cm³

55 x 31 x 24 =

55 x 30 x 20 = 45,000 mm³ = 45 cm³